

DE NOVO OF PATELLA / TROCHLEA WITHOUT AMZ REHABILITATION PROTOCOL

	WEIGHT BEARING	BRACE	ROM	EXERCISES
PHASE I 0-6 weeks	Full w/ brace	0-1 week: Locked in full extension at all times Off for CPM and exercise only 1-4 weeks: Unlocked and worn daytime only Discontinue when quads can control SLR w/o extension	0-6 weeks: Use CPM for 6 hours/day, beginning 0-30° for 0-2 weeks 2-4 weeks: 0-60°	0-2 weeks: Quad sets, SLR, calf pumps, passive leg hangs to 45° at home 2-6 weeks: PROM/AAROM to tolerance, patella and tibiofibular joint mobs, quad, hamstring, and glute sets, SLR, side-lying hip and core
		lag		
PHASE II 6-8 weeks	Full	None	Full	Advance Phase I exercises
PHASE III 8-12 weeks	Full	None	Full	Gait training, begin closed chain activities: wall sits, minisquats, toe raises, stationary bike Begin unilateral stance activities, balance training
PHASE IV 12 weeks – 6 months	Full	None	Full	Advance Phase III exercises; maximize core/glutes, pelvic stability work, eccentric hamstrings
				May advance to elliptical, bike, pool as tolerated
PHASE V	Full	None	Full	Advance functional activity
6-12 months				Return to sport-specific activity and impact when cleared by MD after 8 mos

COPYRIGHT 2014 CRC @BRIAN J. COLE, MD, MBA



Comments:

Signature: Date:
Electric StimulationUltrasoundIontophoresisPhonophoresis TENS Heat before/after Ice before/after Trigger points massage Therapist's discretion Other
Modalities:
Functional Capacity Evaluation Work Hardening/Work Conditioning Teach HE